

### Product guide



### Welcome

Accora is home to a team bursting with innovation and enthusiasm. We operate in the healthcare marketplace, creating and realising products for clinicians and care providers.

Our customers tell us they want products that are clinically effective at a price they can afford. By the way, we also know you want great customer service and products that go on and on and on.

Accora

### Our team



Nicholas Drake Sales Manager Beds 01223 206 100 nicholas.drake@accora.care



Curtis Farringdon Account Manager 07939 842 420 curtis.farringdon@accora.care



Richard Smith Sales Director 01223 206 100 richard.smith@accora.care



Nathan Smith Technical Sales Manager 07848 452 434 nathan.smith@accora.care



Daniel Smith Sales Manager Seating 01223 206 100 daniel.smith@accora.care



Matt Hamilton Account Manager 07584 857 569 matt.hamilton@accora.care



James Patterson FloorBed Product Specialist 07483 074 578 james.patterson@accora.care



Scott Wheeler Product Specialist Team Manager 07867 473 198 scott.wheeler@accora.care



Jonny Bates Product Specialist East 07494 167 080 jonny.bates@accora.care



Owen Gleeson Product Specialist South West 07399 069 679 owen.gleeson@accora.care



Tino Paphitis Product Specialist South East & London 07376 302 556 tino.paphitis@accora.care



Mark Shires Product Specialist North of England 07984 606 491 mark.shires@accora.care



Mark Hodges Product Specialist Midlands & Wales 07584 560 495 mark.hodges@accora.care



Michael Sadler Product Specialist South of England 07399 584 409 michael.sadler@accora.care



Olly Wadden Product Specialist South East & London 07939 849 544 olly.wadden@accora.care



Calum McCluskie Product Specialist Scotland 07398 005 698 calum.mccluskie@accora.care



Chris Seal Product Specialist South East & London 07376 302 557 chris.seal@accora.care



Anthony Wright Product Specialist Midlands & Wales 07398 211 343 antwright@accora.care

### Customer Care

Accora's customer care team pride themselves on delivering an excellent customer service experience.

Whether you need to request a quote, get an update on an order, enquire about a product or book a joint visit, they'll be pleased to help.

Call us on 01223 206 100 or email info@accora.care





**Charlotte Brown** 



Laura Browning



Amelia Gumble



Leah Ringer



**Richard Isherwood** 

Zoe Seabright



Tom McGhee



Sophie Freeburn



Jordan Quelch

# **Contents**

Our services	8
Seating	13
Bathing	31
Beds	37
Pressure Care	53

### Our services

#### **Joint visits**

We offer joint visits nationwide at your service user's home, giving the opportunity to try any of the Accora products.

Our Product Specialists work with the prescriber to produce the best solution to meet the service user's requirements. If we believe that our products do not meet the clinical need, we'll advise the prescriber and suggest an alternative supplier.

#### **Professional support**

Accora is dedicated to supporting professionals in finding appropriate solutions for their clients. Our clinical experts are available for training and education opportunities but also to provide individual advice on a case basis. We can support clinicians with clinical reasoning and justification for solutions and product requests, and can advise on managing clinical responsibilities.

#### Learning & Development

We offer a wide variety of training sessions. For further details see page 10-11.



#### **Our clinical experts**



#### Jenny Rolfe Occupational Therapist jenny.rolfe@accora.care



Jenny is a senior OT, who has been practising since 1997, and completed her MSc in Neuro-Rehabilitation in 2007. Her expertise lies in postural management and assessment.



#### **Debra Dunitz** Occupational Therapist debra.dunitz@accora.care



Debra qualified as an OT in 2006, and uses her wide range of clinical knowledge and experience to inform product development, and to provide clinical training on our product range.



#### Heidi Sandoz RN BSc Hons Tissue Viability Consultant

Heidi has been practising as a Tissue Viability Nurse since 2002. She has experience in both acute and community care, and her passions centre around education, improving services for patients and team development.



#### **Sarah Thompson** RN, BA Hons Tissue Viability Nurse Specialist sarah.thompson@accora.care

Sarah has been a Tissue Viability Nurse since 2010. She has gained a vast amount of experience within wound care from the primary, secondary and private sector. Sarah prides herself in positive patient outcomes by utilising a patient centred approach to their care.

01223 206 100

### Learning & Development

Complement your learning journey with a variety of free training sessions. Certificates are available for all our regular training sessions.



#### Monthly webinars

Accora hosts clinically-based webinars once a month which are free to join. Our in-house clinical team are joined by a range of presenters who are experts in their field, providing education on a range of topics. This ranges from topics specific to our products, to wider points of discussion in the field of occupational therapy. For further information visit **accora.care** 

### Key areas of focus for the webinar programme are:

- Posture management
- Pressure care
- Moving & handling
- Infection control
- Legal
- Mental health & wellbeing

Visit our website to browse for recordings of our past sessions and register for upcoming sessions, or email or further information.





Alongside our ongoing webinar programme, we also provide modular courses which run over several months, enabling more in-depth training into specific subjects such as tissue viability and complex disability management.

Visit our website to browse recordings of our past sessions and register for upcoming sessions, or email for further information.



These sessions allow the opportunity to explore the range of products including chairs, beds (including junior and floor beds), and shower chair.



#### **Online clinical forums**

Accora offer a variety of free online forums where healthcare professionals can openly share experience and knowledge and gain support from their peers.

For further information, please email debra.dunitz@accora.care



#### Lunch and Learn sessions

We also offer short 45-minute sessions, with lunch provided, concentrating on specific subjects such as a clinical case study, clinical justification, or the clinical application of a specific product. These sessions are either carried out online or face-to-face, and can be adjusted to suit your team's specific training needs.

If you are interested in seeing the sessions currently available, or to create your bespoke training package, please email learninganddevelopment@accora.care





### Seating

Scan to view our Configura channel



### Clinical rationale for features on our chairs

We have outlined a brief summary of the clinical benefits for each of the specific features on our chairs, to help guide you in your choice of product to meet a specific user's needs. Adjustable features allow the chairs to be recycled more easily, as they can be set up correctly for a new service user's needs. These are definitions, and do not replace the need for a thorough seating and product assessment.

Adjustable

seat height

The seat height must allow the user to maintain a good posture

their feet, spreading load and

reducing the risk of pressure

Waterfall

backrest

Three fibre-filled pillows which

can be individually adjusted to

spinal shape.

shapes.

accommodate and support the

Cocoon

backrest

A single fibre-filled cushion with

support a kyphotic spinal shape

more asymmetrical back profile

wedges

These wedges can be added

to accommodate, support or correct a scoliosis.

under any backrest cushions to

provide lateral support, helping

and adjustable to accommodate

Lateral support

multiple sections, designed to

and weight bear through

injury.

#### Tilt-in-space

The backrest angle remains fixed and the whole chair tilts, reducing the effect of gravity on users who cannot hold themselves upright, enabling them to maintain a good posture and reducing the risk of pressure injury.

Adjustable

footplate

Height adjustment ensures the

user maintains a good posture,

bear through their feet, spreading load and reducing the risk of

pressure injury. Angle adjustment

accommodates and supports the

and allows the user to weight

#### Backrest recline

The backrest angle can be increased, resulting in a more open hip angle when seated. This can be used where the user has reduced hip flexion, or to augment tilt-in-space in offloading the effect of gravity to support posture.



Raising the legs can help with the management of oedema and aid comfort.



position of the feet.

Elbow and forearm support is important for maintaining good posture, ensuring the user is not leaning down or lifting their shoulders uncomfortably.

#### Flat rise

Raising the service user without tilting, aiding transfers where the user is unable to manage the traditional motion of a riser. Particularly useful for users with muscular dystrophy and Parkinson's.



Assists the user with sit-tostand transfers.



The seat depth should be such that the pelvis is at the back of the seat, and the thighs are completely supported.



The seat width should be such that the user can reach the armrests easily, and there is no pressure on their hips.



# **Specialist seating** for community equipment stores

- Easy adjustment of size, pressure and posture requirements before and after delivery
- Easy to recycle and reissue
- Reduces costs



#### **Overview**

	Configura Lite 2	Configura Comfort
Category	Low	Medium
Tilt-in-space	1	$\checkmark$
True tilt-in-space		
Independent legrest and tilt-in-space		
Backrest recline		$\checkmark$
Riser function (standard)	1	$\checkmark$
Flat rise		$\checkmark$
Stand aid compatible		$\checkmark$
Depth adjustment options	1	$\checkmark$
Height adjustment options	1	$\checkmark$
Adjustable legrest height	1	✓
Width adjustment options		<ul> <li>Image: A start of the start of</li></ul>
Pressure cushion options	1	✓
Removable core in seat	1	✓
Posture management options	1	<ul> <li>Image: A second s</li></ul>
Footplate		
Portable - Room to room		
Vinyl option		<ul> <li>Image: A set of the set of the</li></ul>

**Unsure which chair to use?** Call our team on 01223 206 100 or email info@accora.care to book a joint visit.

Configura Advance	Configura Bariatric	Configura Rise & Recline	Configura Porter
High - very high	Medium	Medium	Medium
✓	✓ (Tilt-in-space version)	<i>√</i>	<ul> <li>✓</li> </ul>
✓	1		<ul> <li>✓</li> </ul>
<ul> <li>Image: A second s</li></ul>	✓ (Tilt-in-space version)		✓
✓	1	✓	✓
	1	✓	✓
	1	🗸 (XL and S Tall)	
<ul> <li>Image: A start of the start of</li></ul>	1	1	✓
	1	1	<ul> <li>(16" and 18" versions only)</li> </ul>
✓		1	
✓	1		✓
✓	1	1	✓
✓			
✓	1	1	✓
✓			✓
✓			✓
🗸 (Standard)	1		

#### Chair **accessories**

			Configura Lite 2
	1" Lowering Kit	<b>.</b>	
Size	1" Height Adjustment Kit	<b>6</b> 60	
<u>S</u>	2" Height Adjustment Kit	4	✓
	Depth Adjustment Kit	ET .	✓
	Cushionair		✓
Pressure	Drop-in Overlay		
	Visco Cushion (std)		✓
	Waterfall Backrest (std)	~	$\checkmark$
	Lateral Support Wedges		✓
Posture	Lateral Support Backrest		✓
Post	Adjustable Lateral Support		$\checkmark$
	Cocoon Backrest	E	$\checkmark$
	Profiled Headrest		
Extras	Drop-down Armrests	H.	

Configura Comfort	Configura Advance	Configura Bariatric	Configura Rise & Recline	Configura Porter
1				
1			<i>✓</i>	
✓			<i>s</i>	
1	1	✓	<i>✓</i>	1
1	1	1	1	1
		✓	<i>✓</i>	1
1	1	1	1	1
1	1	1	1	1
1	1	1	1	1
1	1		<i>✓</i>	1
1	1		1	1
1	1			
1	1	1	1	1
1				

# **Configura**<sup>•</sup>Lite 2

# A **revolutionary way** of issuing seating

The **Configura** chair range by Accora introduces a revolutionary way of issuing seating which is saving many departments time, effort and money. Here's how it works:



The **Configura** chair can be easily and cost-effectively recycled because all the contact areas can be removed for cleaning or replacement. The chair can then be re-configured for the next service user...

If the service user's needs change over time, you can easily adjust the chair to suit. For example you can increase the specification of the pressure relief or introduce more lateral support. This can remove the need to issue a new chair.



ഹ് Configure

O

#### Using the **Configura**

Assessment Form, select the perfect chair for your service user. You can select different sizes and choose different pressure-relieving and posture management options to meet your service user's needs.

The chair is delivered within 5 working days, configured exactly to the specification chosen on your **Configura** Assessment Form. Adjustments can be made with the service user on-site to ensure maximum comfort and effectiveness.



# The entry-level chair with tilt-in-space

The Lite 2 is the most cost-effective chair in the **Configura** range, featuring a single motor tilt-in-space mechanism, height and depth adjustment and a high-risk pressure cushion as standard.



**Key features:** 



Standard rise



Tilt-in-space with legrest elevation



Adjustable seat height



Adjustable seat depth

Chair size	Part number	Seat depth	Seat height	Seat width	Weight capacity
Small	CHAIR-0-CM2-140	450 mm (18")	400 mm (16")	450 mm (18")	25 stone
SITION	CHAIR-0-CMZ-140	500 mm (20")	450 mm (18")**	450 11111 (16 )	25 Storie
Medium	СНАІВ-0-СМ2-240	450 mm (18")	450 mm (18")	500 mm (20")	25 stone
Medium		500 mm (20")	500 mm (20")**	500 mm (20 )	25 Storie
Larao	CHAIR-0-CM2-340	450 mm (18")	450 mm (18")	550mm (22")	25 stone
Large	CHAIR-U-CM2-340		500 mm (20")**	55011111 (22.)	25 Stone

 $\bigcirc$ 

Low

# **Configura**<sup>®</sup>Comfort

### **Configura** Comfort features and accessories

#### The most versatile riser recliner

Building on the Lite 2, the Comfort is a dual motor tilt-in-space chair with independent no-shear backrest recline, offering standard and flat rise options. The subframe is also designed to be compatible with a range of transfer aids.





#### **Key features:**



Flat rise (option)



Tilt-in-space with legrest elevation



**Backrest recline** 



Adjustable seat depth

Chair size	Part number	Seat depth	Seat height	Seat width	Weight capacity				
		450 mm (18")	375 mm (15")°						
Small	CHAIR-0-CM1-140	450 mm (18.)	400 mm (16")	450 mm (18")	25 stone				
Small	CHAIR-0-CIVII-140	500 mm (20")	425 mm (17")*	450 mm (18.)	25 Stone				
		500 mm (20 )	450 mm (18")**						
		450 mm (18")	425 mm (17")°						
Medium	CHAIR-0-CM1-240	450 1111 (16 )	450 mm (18")	500 mm (20")	25 stone				
Medium	CHAIR-0-CMI-240	CHAIR-U-CMI-240	CHAIR-U-CMI-240	CHAIR-0-CMI-240		500 mm (20")	475 mm (19")*	500 mm (20 )	25 Stone
		500 mm (20 )	500 mm (20")**						
		450 mm (18")	425 mm (17")°						
Larao	CHAIR-0-CM1-340	450 1111 (16 )	450 mm (18")	550 mm (22")	25 stone				
Large	CHAIR-U-CMI-34U	500 mm (20")	475 mm (19")*	550 mm (22 )	20 510116				
		500 mm (20 )	500 mm (20")**						



**Braked castors** 

Integrated self-supply overlay. Aperture dimensions 17.5" x 17.5" x 3"



Pressure-reducing fabric As standard on backrest and armrest.



Compatible with transfer aids Cricket, ReTurn 7500 and Molift Raiser.



**'Reduced shear' recline** Maximises pelvic stability.



Depth adjustment options using backrest brackets

Reduces the need for depth adjustment kits.



Drop-down armrest Available as an optional extra.



Vinyl fabric Available as an option.



Cocoon backrest Available as an optional extra.

# **Configura**<sup>®</sup>Advance

### **Configura** Advance features and accessories

# A highly configurable specialist chair for higher dependency users

The Advance meets many needs in its standard configuration, and can be easily configured to accommodate more complex postural requirements by upgrading the backrest. Additional integrated size adjustments in every dimension and an optional electric upgrade make this a highly configurable and easily recyclable chair.



**Key features:** 



Tilt-in-space



Backrest recline



Adjustable footplate



Adjustable seat depth



Adjustable seat width

Part number	Adjustment	Range	Weight capacity
	Depth	400 mm (16") – 550 mm (22")	
CHAIR-0-SC1-030	Height	330 mm (13") – 530 mm (21")	25 stone
	Width	350 mm (14") – 550 mm (22")	

Profiled backrest upgrade Can be upgraded with the postural backrest for more complex postural requirements.



**Depth adjustment** From 400 mm to 550 mm.



Width adjustment From 400 mm to 550 mm. 350 mm as option.



Forward tilt 10 degrees of forward tilt.



Overlay Continuous overlay for thigh support.



Integrated self-supply overlay Aperture dimensions 17.5" x 17.5" x 3"



Footplate Height and angle adjustable footplate.



External lateral supports Available as an optional extra.



Electric version Available as an optional extra.

# **Configura**<sup>®</sup> Bariatric

### **Configura**<sup>®</sup>Rise & Recline

#### The riser recliner for plus-size users

The Bariatric is a dual-motor chair suited to larger service users, offering an increased weight capacity, with a tilt-in-space option up to 40 stone and non-TIS up to 50 stone.







**Key features:** 

Tilt-in-space\*



Legrest elevation



Flat rise\*



Standard rise

#### \* Only available on TIS version

Chair size	Part number	Seat depth	Seat height	Seat width	Weight capacity
		450 mm (18") <sup>∞</sup>	400 mm (16")	700 mm (28")	
40 stone dual-motor	CHAIR-0-CFB1	500 mm (20") <sup>°</sup>	450 mm (18")	650 mm (26")	40 stone
		550 mm (22")	500 mm (20")	600 mm (24")	
40 stone dual-motor		450 mm (18") <sup>∞</sup>	400 mm (16")	700 mm (28")	
tilt-in-space (with	CHAIR-0-CFBTIS	500 mm (20") °	450 mm (18")	650 mm (26")	40 stone
independent legrest)		550 mm (22")	500 mm (20")	600 mm (24")	
		450 mm (18") <sup>∞</sup>		850 mm (34")	
50 stone dual-motor	CHAIR-0-CFBSUP	500 mm (20") °	450 mm (18")	800 mm (32")	50 stone
		550 mm (22")		750 mm (30")	

### Where the **Configura** concept began

The original Accora riser recliner, available in six sizes to accommodate a wider range of service users. The standard sizes have been superseded by the Comfort.









#### **Key features:**



Tilt-in-space with legrest elevation



**Backrest recline** 



Standard rise



Adjustable seat height

450 mm (18")

500 mm (20")

# **Configura**<sup>®</sup> Porter

# For users with fluctuating levels of functionality

The triple-motor Porter chair is a hybrid between the Comfort and the Advance, offering independent legrest and backrest functions and true tilt-in-space. It is also fully portable, allowing the chair to be moved between rooms.









Tilt-in-space



**Standard rise** 



Portable



Adjustable seat width

Chair size	Part number	Seat depth	Seat height	Seat width	Weight capacity
		450 mm (18") <sup>∞</sup>		400 mm (16")	
Small	CFP182016DT	500 mm (20") °	400 mm (16")	450 mm (18")	20 stone
		550 mm (22")		500 mm (20")	
		450 mm (18") <sup>∞</sup>		400 mm (16")	
Medium	CFP182020DT	500 mm (20") °	450 mm (18")	450 mm (18")	20 stone
		550 mm (22")		500 mm (20")	

Notes		

### Notes




### Bathing

Scan to view our bathing channel



# Configura AquAlign

Bringing Accora's **infrastructure** and **customer service** to the showering and bathing sector

- Easy to recycle
- Reduced lead times
- Increased comfort and support



# **Configura**<sup>®</sup>AquAlign

### **Configura** AquAlign optional extras

The shower chair is designed for easy issuing and recycling

Its robust, modular design makes it adjustable to meet varied and changing user needs, and easy to recycle and reissue.



Key features:



Tilt-in-space



**Backrest recline** 



Adjustable footplate



Width adjustment options







Aperture reducer

Commode pan and cradle

Horseshoe infill







Contoured headrest

Mesh headrest

Lateral support

#### Other accessories available.

Seat height (floor to top of seat)	450 mm (18 in)	475 mm (19	9 in)	520 mm	(20.5 in)	550	mm (22 in)
Clearance from floor to underside of frame	365 mm (14.5 in)	400 mm (16	3 in)	440 mm	(17.5 in)	475	mm (19 in)
Legrest height adjustment	425 mm (17 in)	450 mm (18 in)		75 mm (19 in)	500 r (20 i		525 mm (21 in)
Arm height	180 mm (7 in)						
Seat aperture style	Standard			Horseshoe			
Seat aperture width	125 mm (5 in)		180 mm (7 in)				
Safe working load	159 kg (25 st)						
Seat depth	450 mm (18 in)						
Adjustable seat width	400 mm (16 in) 455m		nm (18 in)		500 m	nm (20 in)	
External width	520 mm (25.5 in)						
External length when upright	915 mm (36 in)						
External length when fully tilted – without headrest	1370 mm (54 in)						
External length when fully tilted – with standard mesh headrest	1475 mm (58 in)						

Notes	
-------	--



### Beds

Scan to view our beds channel



Beds

### Clinical rationale for features on our beds

We have outlined a brief summary of the clinical benefits for each of the specific features on our beds, to help guide you in your choice of product to meet a specific user's needs. These are definitions, and do not replace the need for a thorough assessment of your user's needs.

### The features below are standard on all Accora beds:





Enables independence, assisting with transfers, bed mobility and positioning. The auto-regression mechanism reduces shear, aiding comfort.



Elevating the legs aids with pressure management and bed positioning, stops the user slipping down the bed, and reduces fluid build-up in legs and ankles.



The compact motors and wires are fitted within the bed frame, allowing easier hoist access and preventing damage.

#### Compatible with most mattress systems

The standard mattress platform size is 2000 x 900 mm, which is compatible with a wide range of mattresses.



The accessory kit that makes all Accora beds suitable for children.

#### Additional features:



Transforms a bed fall into a roll, reducing the impact and therefore risk of injury, and reducing the requirement for siderails.

The ultra-low height reduces the risk of slipping when sat on the edge of the bed, and reduces the amount of strength and range of movement required when lifting legs into bed, eliminating the need for manual handling equipment and enabling independent transfers for some users.



Enables taller carers to complete care tasks at an appropriate height for them.



Tilting the foot end higher than the head end can help when positioning the user, and can be combined with other profiling functions to reduce sliding down in the bed.



Also known as Reverse Trendelenburg, tilting the head end higher than the foot end can be combined with other profiling functions to obtain an upright seated position in bed.

# **FloorBed**<sup>®</sup>

# Bed fall, or **bed roll?**

- Reduce the risk of injury in the event of a user fall
- Reduce the risk of caregiver injury
- Enable independence and mobility



### FloorBed1

### FloorBed<sup>2</sup>

### The first truly floor-level nursing bed

A genuine game-changer since its introduction, **FloorBed 1** lowers to a height of just 71 mm, with a lift range of 650 mm. With a focus on keeping users safe and enabling independence, the bed is easily configurable to meet varied and changing user needs with a wide range of accessories.



Additional features:









Ultra Low function

Trendelenburg

Anti-Trendelenburg

Overall dimensions	925 x 2255 mm (36.4" x 88.8")
Mattress size	900 x 2000 mm (35.4" x 78.7")
Safe working load	185 kg (29 st, 408 lbs)
Patient weight	150 kg (24 st, 330 lbs)
Lifting range	71 – 650 mm (2.8" – 25.6") (excl. mattress)
Profiling functions	Backrest with Auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg
Min. height of service user	1460 mm (57.5″)
Part number	NSB-0-FL1-200

# Combining floor level functionality with increased height for care giving

The **FloorBed 2** lowers to 71 mm, and has an increased maximum height of 800 mm, offering a safer working height for taller carers. The low head and footboard enable easier access for care tasks and repositioning.

Additional features:	· · ·		
Ultra Low function	Rises to 800 mm	Trendelenburg	Anti-Trendelenburg

Overall dimensions	935 x 2285 mm (36.8" x 90.0")
Mattress size	900 x 2000 mm (35.4" x 78.7")
Safe working load	185 kg (29 st, 408 lbs)
Patient weight	150 kg (24 st, 330 lbs)
Lifting range	71 - 800 mm (2.8"- 31.5") (excl. mattress)
Profiling functions	Backrest with Auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg
Min. height of service user	1460 mm (57.5")
Part number	NSB-0-FL2-200

#### FloorBed accessories

All FloorBeds are available with a range of accessories, detailed below:







Integrated padded side rails

Head and foot board bumpers

High safety mat, 2200 mm high Same height as FloorBed with 150 mm foam mattress.



Safety sleeve Reduces risk of entrapment as the platform mechanism is protected.



**Mattress infill** 





Bed extension kit Increases mattress platform length to 2200 mm.



Lifting pole

Assists with

bed mobility.

Junior Kit Compatible with FloorBed 1 & 2

# CommunityBed

# Versatility and **performance**

- Conventional profiling functions
- Easy to assemble and recycle
- Low bed combined with full nursing height



# CommunityBed

#### CommunityBed features and accessories

# The low nursing bed designed for the community

Increased weight capacity of 180 kg and lifting range of 220 mm to 800 mm, allowing you to simplify your range and reduce stock holding, while still offering the flexibility that you need to meet the needs of service users.



NSB-0-CB1-100

Features



Lowest position at 220 mm



Easy to use handset\* \*Upgraded handset required for Trendelenburg function





Excellent height for carers

Backrest with auto-regression and knee profiling



44

Part number

### Notes

# **Junior**Beds

### Keeping children safe, and helping reduce risk

- Can be reconfigured to meet changing patient needs
- Compliant with BS EN 50637:2017
- Compatible with FloorBed 1 & 2 and CommunityBed



## **Junior**Beds

#### JuniorBed accessories

### The accessory kit that makes all Accora beds suitable for children

This accessory kit is a simple, safe and cost-effective solution that is compliant with the BS EN 50637:2017 children's bed standard. It comprises of head and footboard bumpers, which reduce impact, and a safety sleeve, reducing the risk of entrapment.



Please note: side rails are an optional extra

	Kit includes	Part number
FloorBed 1	Bumpers	BHMNE-0-FL4-000
JUNKIT-0-FL1-000	Safety sleeve	SLE-0-FL4-100
FloorBed 2 JUNKIT-0-FL2-000	Bumpers	BHMNE-0-FL4-500
	Safety sleeve	SLE-0-FL4-100
	Protection plates	PROPL-0-FL4-500
<b>CommunityBed</b> JUNKIT-0-CB1-000	Bumpers	BHMNE-0-FL4-000
	Safety sleeve	SLE-0-FL4-100

## **Only** these accessories are compatible for use with **Junior Beds**.

#### •• Fabric side rails

With easy lock and lower mechanism. Fabric mesh allows visibility from within and outside the bed.

#### Designed with a firm edge to help further reduce the risk of

entrapment.

--- Firm edge mattress

#### --- Extended surface

When used with the bed at floor level, the high safety mat provides an extended surface to safely roll onto.







#### Integrated bolster

Forms in-built mattress infill. Side rails lower to below mattress height to facilitate transfers.

#### • Easier transfers

Also helps service users orientate themselves in bed and can make transfers easier.



#### •• High safety mat


Helps reduce the risk of injury from bed falls for someone who is prone to falling.

# **Junior**Beds

### Choosing the right bed

Following these steps here

will guide your choice of bed.






	CommunityBed	FloorBed 1	FloorBed 2
Overall dimensions	930 mm width x 2250 mm length (36" x 89")	925 mm width x 2255 mm length (36.4″ x 88.8″)	935 mm width x 2285 mm length (36.8″ x 90″)
Mattress size	900 mm width x 2000 mm length (36" x 79")	900 mm width x 2000 mm length (35.4″ x 78.7″)	900 mm width x 2000 mm length (35.4″ x 78.7″)
Safe working load	215 kg (34 st)	185 kg (29 st)	185 kg (29 st)
Service user weight	180 kg (28 st)	150 kg (24 st)	150 kg (24 st)
Mattress platform height	220 mm – 800 mm (8.6" - 31.5") (excl. mattress)	71 mm - 650 mm (2.8" - 25.6") (excl. mattress)	71 mm - 800 mm (2.8" - 31.5") (excl. mattress)
Profiling functions	Backrest with auto-regression, Kneebreak, Anti-Trendelenburg*, Trendelenburg*	Backrest with auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg	Backrest with auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg
Minimum height of service user	1460 mm (4.8 ft) With <b>Junior Kit</b> 750 mm (2.5 ft)	1460 mm (4.8 ft) With <b>Junior Kit</b> 750 mm (2.5 ft)	1460 mm (4.8 ft) With <b>Junior Kit</b> 750 mm (2.5 ft)
Part number	NSB-0-CB1-100	NSB-0-FL1-200	NSB-0-FL2-200
Junior Kit			
Part number	JUNKIT-0-CB1-000	JUNKIT-0-FL1-000	JUNKIT-0-FL2-000
Comprises	Padded head and footboard bumpers Safety sleeve	Padded head and footboard bumpers Safety sleeve	Padded head and footboard bumpers Safety sleeve Protector plate

Note: Junior Beds can only meet the new children's standard when installation of the full Junior Kit is complete, as specified here \* alternative handset required

## Junior Beds

### Children's standard

The children's standard (BS EN 50637:2017 – Medical electrical equipment – Particular requirements for the basic safety and essential performance of medical beds for children) is a standard for medical beds suitable for children.



#### Why was it introduced?

Adult beds have an intended service user group which is defined as below (adult standard is BS EN 60601-2-52):

- Over 40 kg
- Over 1.46 m in height
- With a BMI of more than 17

Anyone outside these dimensions, particularly children, therefore fall out of this user group.

### Key differences from the adult standard:

The main difference in the standard is the size of the gaps between side rails, mattress platform and closing gaps. These are much smaller than with adult beds. There are also extra tests that must be conducted on the bed to enable it to meet the standard, that are not required on the adult bed.

#### How will it affect me?

Manufacturers must meet these standards to be able to state that their beds are suitable for children. For Local Authorities, this means that when issuing beds for children, or those who are outside of the intended service user groups for adults, an appropriate bed must be used.

### What has Accora done to meet the standard?

Accora have developed a safe, simple, cost-effective solution for our beds to enable community equipment stores / prescribers to be able to comply with the new BS EN 50637 standard. Please contact us for more information and we'll be happy to discuss this in further detail with you.



### **Pressure Care**

# Pressure Care

for chairs and beds

# A range of pressure care solutions to meet all needs

- Compatible with all Accora chairs and beds
- Suitable for children and adults
- Meets low to high pressure care needs



# **Configura**<sup>®</sup>

# **CushionAir**

# Understanding how the Accora **Configura** chair can support you

Accora chairs are designed to offer comfort and pressure reduction. They are set up to suit the needs of an individual to be at the right size, depth and height for that person. They have an integral pressure reducing cushion which has the option to be changed as well.




Adding a cushion onto a seat can elevate the seating position of an individual and may even lift their feet off the floor thereby increasing risk of sliding down the chair. With the **Configura**, it removes the risk of a topper cushion sliding around or being ill-fitting to the chair and the individual. This allows for the addition of a higher specification of pressurereduction.

### Recommended for users who have developed pressure damage

The **CushionAir** cushion is a dynamic pressure relieving cushion which is normally recommended for users who have developed pressure damage. The principle is that the cells of the cushion inflate and deflate alternately. This provides pressure redistribution via cyclic changes in loading and unloading.

#### Suitable for a client who:

- Has a pressure ulcer in the seated area that is not responding to offloading with a foam cushion
- Is at very high risk because of complete immobility or presence of a non-healing pressure ulcer
- Prefers this choice for comfort
- Weighs up to 160 kg





Cells of the cushion inflate and deflate alternately

Part number	KITCA-0-CM1-100 (mains powered)	KITCA-0-CM1-100 (battery powered)
Dimensions (pump only)	280 x 130 x 100 mm (11″ x 5″ x 4″)	160 x 105 x 50 mm (6" x 4" x 2")
Cycle time	12 minutes continuous	5 or 10 minutes continuous
Patient weight	160 kg (25 st)	

### Allevia Green 100

## Allevia<sup>®</sup> Green 100 Firm Edge

# A high quality mattress suitable for low to medium risk residents

This mattress has a base layer of high-density foam for support, with a top layer of soft, pressure-reducing visco foam. The cover is made of four-way stretch, vapour permeable fabric, for additional comfort.

pleine sus

Top layer of soft pressure reducing visco foam, base layer of high density foam for support

# Designed for additional support when side rails are used

The Firm Edge on the sides and ends of the mattress offers more support for transfers, and helps service users orient themselves in the bed. The Firm Edge also reduces the gaps between the mattress and head and foot board, to help reduce any risk of entrapment.

Antoine antoine



Firm Edge offers more support for transfers and helps orient themselves in bed

Size	2000 x 900 x 150 mm (79 x 35 x 6")
Weight capacity	160 kg (25 st)
Warranty	2 years
Cover	Four-way stretch PU
Fire retardancy	BS EN 7177 Medium hazard (Ignition sources 0, 1 and 5)
Vapour permeable	✓
Layered foams	√
Zip	1
Waterproof	✓

Four-way stretch vapour permeable cover

1950 x 900 x 150 mm (76 x 35 x 6")
160 kg (25 st)
2 years
Four-way stretch PU
BS EN 7177 Medium hazard (Ignition sources 0, 1 and 5)
1
1
1
1



Four-way stretch vapour permeable cover


### Allevia<sup>®</sup>Green200

### Allevia<sup>®</sup>Orange100

### Featuring a castellated foam surface with a specialist heel management area

The specialist design and use of multi-stretch material enables the very best pressure re-distribution for most patient groups. The pressure reducing castellated central zone maximises re-distribution in the most vulnerable areas, so that the mainstream patient weight can be managed effectively.

and arisally



#### Suitable for medium to very high-risk residents


This mattress uses a step-up/step-down hybrid foam system with extra quiet pump (when used as dynamic mattress), and foam-filled alternating cells which provide comfort as well as therapy. The mattress can also be used without a pump for high-risk residents, and features a clinically proven heel slope to help minimise heel surface contact. This mattress is suitable for use with children when used with Junior Kit.

> **Slopes to 90 mm** (3.5 in) at heel end to minimise heel surface contact

Size	2000 x 900 x 150 mm (78 x 35 x 6")		
Weight capacity	168 kg (25 st)		
Warranty	2 years		
Cover	Four-way stretch PU		
Fire retardancy	BS EN 7177 Medium hazard (Ignition sources 0, 1 and 5)		
Vapour permeable	<b>v</b>		
Layered foams	1		
Zip	1		
Waterproof	1		



Size	1980 x 880 x 150 mm (78 x 35 x 6")
Weight capacity	248 kg (39 st)
Warranty	Pump 2 years, mattress 5 years
Cover	Four-way stretch PU
Fire retardancy	BS EN 7177 Medium hazard (Ignition sources 0, 1 and 5)
Vapour permeable	✓
Layered foams	✓
Zip	✓
Waterproof	✓



**Clinically proven** results

01223 206 100

### Allevia Red 200

# Suitable for high to very high risk residents

This mattress uses a dynamic mattress system with alternating cells for pressure relief. The cells are 19 cm deep to provide deep immersion, and the heel slope is created by lower heel cells. The auto weight pump features an adjustable comfort setting with the option of constant low pressure therapy.

the state

Cell in cell – cell within the main cell remains full of gir in the event

> of power loss or transport function

Size	2000 x 900 x 175 mm (79 x 35 x 7")	
Weight capacity	249 kg (39 st)	
Warranty	2 years	
Cover	Four-way stretch PU	
Vapour permeable	1	
Layered foams	n/a	
Zip	1	I
Waterproof	J	



pressure set pump unit

### We'd love to hear your feedback...

Name:	
Employer:	
Email address:	
Phone number:	
Date of training:	
Trainer:	

On a scale of 1-10, how likely is it you would recommend this training to a friend or colleague?

1 2 3 4 5 6 7 8 9 10

Please let us know of any other colleagues or departments who might benefit from this training:

Comments: .....



Notes	Notes

Notes	Notes



UK: Accora Ltd, Charter House, Barrington Road, Orwell, Cambridge SG8 5QP T: +44 (0)1223 206 100 E: info@accora.care W: www.accora.care

IE: Accora Ltd, 38 Main Street, Swords, Co. Dublin, Ireland, K67 E0A2 T: +353 (0)1 695 0614 E: info@accora.care W: accora.care

\* and ™ are trademarks of Accora Limited. As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.

All information is correct at time of printing and is subject to change.